



Truck & Tractor Pull Rules 2026

Please be aware that participation in Fair activities that result in receiving cash prizes, may be subject to IRS reporting requirements and could result in the issuance of a 1099 Form. Cash prizes will not be distributed until required documentation is submitted to the Fair Office.

All information collected will be used solely for required reporting purposes and will be kept confidential. For more information on how this may affect you, please consult your tax advisor.

GENERAL RULES

1. Tractor may be 200 lbs. over with driver, scale on site.
2. Driver must be 18 years of age, or at least 16 years of age with parent/guardian's written consent.
3. **Tractor must have a hitch hole or a quarter turn clevis at least 3 ¾" inch diameter.**
4. Pulling point is not more than 20 inches high and at least 18 inches behind the center of the axle.
5. Hitch must be rigid in all directions. No pulling from two- or three-point hitches unless the hitch is locked out.
6. All added weight must be fastened securely. Rear weight may not interfere with hooking the sled.
7. Tractor front weights and brackets may not exceed 11 feet from the center of the rear axle forward.
8. Loss of any object while hooked to sled will result in disqualification.
9. Driver must stop immediately upon signal from judge. Pull is over when forward motion stops.
10. Tractor must be in neutral when hooked and unhooked.
11. Driver is allowed **ONE** restart before 100 feet.
12. Pull will terminate if the contestant runs out of bounds.
13. Driver will remain seated at all times.
14. Hood, grill, and fan shroud must be in place.
15. **Driver must be present at the driver's meeting at 6:00 p.m.**
16. **Promoters reserve the right to refuse any entry.**
17. Failure to allow inspection by judges will result in disqualification.
18. One hook per tractor/vehicle.
19. No riders in vehicles while hooked. Operator only!
20. **Safety equipment is highly encouraged!**

STOCK OUT OF FIELD (10,000 lbs. and 14,500 lbs.)

1. **STOCK MEANS STOCK.**
2. Factory weights, in factory mounted positions, for that model tractor. **No custom-made weight brackets.**
3. No pulling "adjustable" hitches
4. **MUST USE factory drawbar with minimum 3 ¾" hole opening loop.**
5. Must have working hydraulic SCV's, PTO, and rockshaft (no arms is okay) if factory equipped.
6. Factory rear inner wheels, may not be pressed steel (ex: dual type) unless factory equipped!
7. This class is intended for tractors straight off the farm and is designed to grow the sport!
8. **Promoters reserve the right to refuse any entry they deem not to be stock!**

HOBBY STOCK 1958 & OLDER (5,500 lbs. / 55 hp), (7,500 lbs. / 75 hp)

1. 6 MPH speed limit.
2. Must have a positive stop. No use of vice grips for stop.
3. No cut or groomed tires.
4. No aluminum frame or chassis components. Any non-aluminum real wheels allowed.
5. Tractor must run on fuel types for which it was originally equipped.
6. Must have stock block, crankcase, head, manifolds, and injection pump or carburetor for that model tractor.
7. **PTO hp limits verified by tractordata.com and will be enforced.**

HOT FARM (12,000 lbs.)

1. Stock appearing block, driveline, transmission, front and rear axle, and sheet metal must match model of the manufacturer.
2. Aftermarket nose piece and hoods allowed.
3. No intercoolers or aftercoolers allowed.
4. 466 cubic inch or smaller engine only, with OEM Ag head and manifolds. (No truck manifolds allowed)
5. No spacer blocks between the block and the cylinder head or between the block and the intake manifold.
6. One turbo only – with a max inlet of 3” and outlet size of 3”. No slots or slugs. No waste gate or variable turbo. Intake wheel must protrude 1/8” into housing.
7. Maximum tire size: 20.8 X 38
8. Lubrication allowed in water injection, but no additives.
9. No speed limit or rpm limit.
10. One fuel only (diesel or gas). No pressurized fuels, nitrous oxide or other oxidizing agents allowed.
ALLOWED: Pulling hitch, water injection, pusher pump, weld on hubs, steel wheels, aluminum front wheels and weight brackets.
NOT ALLOWED: V or double cut pulling tires, aluminum frame/chassis, curved exhaust pipes.
Mandatory Safety Equipment in Hot Farm Class: • Steel Flywheel • Air Shut off – needs to disconnect and the rear of the tractor and hook to the sled • Side shields (recommended to follow NTPA rules) • ROPS with seatbelt, cages allowed. Helmets recommended and required in all tractors with a cage. • Wheelie bars, fenders, fire extinguisher and wide front • Drivers must wear long pants (no shorts) • Any type of safety equipment is recommended.

IMPROVED FARM STOCK (6000 lbs.)

1. May use any gear.
2. Engine must run on gasoline, diesel, or LP fuel. Cylinder heads must be cast.
3. Number of cylinders made as stock
4. No turbo or supercharger unless originally equipped up to 3x3.
5. Carburetor must be in the original draft direction.
6. Must have a kill switch! Wheelie-bars are highly recommended!

IMPROVED FARM STOCK (9500 lbs.)

1. One fuel only (gas or diesel).
2. Stock appearing engine and sheet metal, transmission and rear end must match brand.
3. Stock appearing carburetor and fuel pump.
4. Engine **block** must be from a 410 cubic inch or smaller diesel or gas engine.
5. Single turbo allowed with up to a 2.25 in. max intake **To4** turbocharger.
6. No inline fuel injection pumps allowed in this class.
7. No v or Double cut tires.
8. Tractor must have wheelie bars and wide front.

TRUCKS (6,500 lbs. STREET LEGAL – GAS/8,500 lbs. STREET LEGAL - DIESEL)

1. Must have current registration license plate and insurance.
2. Headlights and taillights must be in working order.
3. Trucks must have four wheel working brakes.
4. Tires must be DOT approved: no modifications allowed (i.e. cutting, grooving, etc.).
5. Must pull from bumper, hitch or class three style hitch (minimum of 33/4 opening for hook, hitch height not to exceed 20 inches).
6. No blocking of suspension (must have workable suspension).
7. Trucks must have a legal exhaust system for driving on the street.
8. May only run stock fuel, all other fuels are illegal.
9. All weights must be in box or weight bracket mounted on front, no hidden weights, no exceptions.
10. Must be capable to drive in and out of event. If trailer is preferred for attendance, that is okay.

TRUCKS (8,000 lbs. OPEN)

1. One fuel only, Gas or Diesel. No pressurized fuels, nitrous oxide or other oxidizing agents allowed.
2. Front hanging weight allowed (Max 60" center of front axle).
3. Blocked suspension allowed.
4. Helmet, wheelie bars and safety equipment highly encouraged.

TRUCKS (20,000 lbs. SEMI CLASS)

1. All General Rules apply.

KING OF THE HILL (18,500 lbs. STREET STOCK MODIFIED – GAS OR DIESEL)

1. All General Rules apply.

For any questions related to the pull, please contact:

- **Tim Enz (507) 381-7698**
- **Edward Olson (507) 381-7662**